Notice of Allowability	Application No.	Applicant(s)
	10/798,900	TANABE, TAKAHISA
	Examiner	Art Unit
	MY-CHAU T. TRAN	2629
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this applied or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. <b>THIS</b>
1. This communication is responsive to <u>7/11/06</u> .		
2. The allowed claim(s) is/are <u>1-10</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority una)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus  (a) including changes required by the Notice of Draftspers  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the	son's Patent Drawing Review (PTO- s Amendment / Comment or in the C .84(c)) should be written on the drawir	Office action of age in the front (not the back) of
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT.	sit of BIOLOGICAL MATERIAL n	nust be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	ratent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• •
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Dat 7.  ☐ Examiner's Amendn	ie
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material  Output  Description:  Description:  Output  Description:  Des	8. ⊠ Examiner's Stateme	ent of Reasons/gr/Ayovatace
	•	RICHARD HJERPE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Application/Control Number: 10/798,900

Art Unit: 2629

## REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The instant claims are allowed for the reason that the cited prior art, i.e. Hilsum (US Patent 3,753,231), does not teach or fairly suggest the presently claimed apparatus and methods wherein the limitations that the driver applies 'a first predetermined voltage' and 'a second predetermined voltage' between one scan line and the specified driving line. In addition, the cited prior art, i.e. Hilsum (US Patent 3,753,231), does not teach or fairly suggest the structural feature of presently claimed apparatus wherein each pixel portion is at an intersection between one drive line and one scan line of the matrix display panel as illustrated by figure 1 of the instant specification.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MY-CHAU T. TRAN whose telephone number is 571-272-0810. The examiner can normally be reached on Monday: 8:00-2:30; Tuesday-Thursday: 7:30-5:00; Friday: 8:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard A. Hjerpe can be reached on 571-272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/798,900

Art Unit: 2629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

My-Chau T. Tran December 20, 2006

> RICHARD HJERPE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600